

Lu yao Hu General Manager

Mobile : 0086-013857956661

Free call: 0086-400-110-6669

Https://www.zhenantools.com

EASY YOUR LIFE

ZHENAN ELECTRICAL APPLIANCE
VACUUM CLEANERS

浙江浙南电器有限公司

ZHEJIANG ZHENAN ELECTRICAL APPLIANCE CO. LTD

地址 : 浙江省永康市经济开发区银川东路9-11号
Add : NO 9-11, East Yinchuan Rd, Yongkang Economic
Development Zone, Zhejiang Pro, China
电话/Tel : +86-579-87234316 87234317 87234318
传真/Fax : +86-579-87229155

E-mail:sales@zhenantools.com Https://www.zhenantools.com



ZHENAN
Since 1985

The catalogue's final interpretation belongs to ZHENAN.

Enterprise Introduce



Zhejiang zhenan electrical appliance co., ltd is a private export-oriented enterprise which specializes in the production of various of vacuum cleaners . Zhenan was established in 1985 with the old name of Yongkang Zhenan Tools. The headquarter is located in the 10th floor, Jinshan building of Yongkang Head Office and its production base is in the No.9-11 East Yinchuan Rd, Yongkang Economic development zone Zhejiang China. The factory covers 50, 000 square meters and the construction area reaches 100,000 square meters. Now Zhenan has total fixed assets which valued more than 400 million RMB.

After the hard development of many years, Zhenan has become the leading enterprise in the area of vacuum cleaner with research and development, production and sales as a whole. There are three branches now with high qualified technical team, professional inspection center, advanced processing equipment that can meet customer's different and professional demands. What's more, Zhenan has good capacity to push new models that will success to help customers to dominate market. The annual production ability is 1.5 million units and annual turnover can reach up to 400 million RMB. The products are exported to more than 50 countries and regions. Such as Europe, America, Australia, Middle-East, South-East, Asia and so on.

Quality and innovation is the survival for Zhenan. With the policy of "rely on scientific management, insisting on continuous improvement, pursuing for excellent quality, satisfying for customer's various demands", Zhenan established the perfect quality control system and passed the ISO9001 quality system qualification in 1998. All the products have the approval of CE, GS, CB, ETL etc and 30 patents as well. The function of "one valve control blowing and suction" obtained national inventive patent and utility model of Germany.

Zhenan always keeps the aim of "create value for customers" and the desire of "Zero defect in product quality, Zero distance in communication, Maximal satisfaction for customers and employees". all staffs insist on the principle of "Honesty, Hardworking, Customer first, Teamwork, Innovation". Zhenan will do best to provide competitive Price and high quality products to customers and develop steady and bright relationship with each other.



Tips :

- | | | |
|-----------------------------------|---------------------------------------|----------------------------|
| A Refers to Plastic bin | B Refers to Plastic bin + Base | C Refers to S/S bin |
| D Refers to Base | ZD Refers to Automatic control | S Double layer |
| -1 Refers to Socket outlet | | |



Let's do better !



Contents

ZN1801 SERIES



ZN1801M	01	ZN1801S	08
ZN1801A Series	02	ZN1805 2IN1 VC+AC NEW GS EX 1 400-11	09
ZN1801C Series	03-07		

YS/ZN SERIES



Back Pack Vacuum Cleaner	12-13	YS-1400 Series	23
ZN1201 Series	14-15	ZN101 Series	24
ZN102 Series Invention Patent	16	ZN601/603 Series	25
ZN902 Series Invention Patent	17	Carpet Cleaner	26-27
ZN901 Series LOW NOISE	18-19	ZN605	28-29
ZN103 Series	20	Pond Cleaner	30-31
YS-1000 Series	21	ZN832 2IN1 VC+AC	32
YS-1250 Series	22	ZN931 2IN1 VC+AC	32

ZN1802 SERIES



ZN1802S	08	ZN1802A Series	10
ZN1806 2IN1 VC+AC NEW GS EX 1 400-11	09	ZN1802C Series	11

ASH SERIES



ZN1402 Series	33	ZN833 Series	37
ZN1601 Series NEW GS EX 1 400-11	34	ZN834 Series	37
ZN1602 Series NEW GS EX 1 400-11	35	ZN830 Series	38
ZN930 Series	36	ZN831 Series	38
ZN932 Series	36		

Accessories

38

Dry & Wet Vacuum Cleaner

Patented item,any copy will be punished.

ZN1801M



Item No.	ZN1801M			
Capacity	容量	12L	15L	18L
Rated Power	功率	1200W	1200W	1200W
Rated Voltage	电压	100V-240V	100V-240V	100V-240V
Normal Frequency	频率	50/60Hz	50/60Hz	50/60Hz
Vacuity	真空度	≥18Kpa	≥18Kpa	≥18Kpa
Net Weight	净重	4.1Kg	4.3Kg	4.5Kg
Measurement	包装尺寸	280x280x380mm	280x280x435mm	280x280x490mm
Loading Qty		20GP: 960pcs	20GP: 800pcs	20GP: 792pcs
		40GP: 2000pcs	40GP: 1680pcs	40GP: 1584pcs
		40HQ: 2268pcs	40HQ: 2016pcs	40HQ: 1808pcs



Optional color:



Optional:



1801
Series

Dry & Wet Vacuum Cleaner

Patented item, any copy will be punished.



1000-1600W

Multi-Power Selection

10-100L

Multi-Capacity Selection

20%↑

Increase efficiency by 20%



Dry & Wet Vacuum Cleaner

Patented item, any copy will be punished.

| ZN1801A
| ZN1801A-1



15L



20L



Item No.	ZN1801A			
Capacity	容量	15L	20L	
Rated Power	功率	1200/1400/1600W	1200/1400/1600W	
Rated Voltage	电压	100V-240V	100V-240V	
Normal Frequency	频率	50/60Hz	50/60Hz	
Vacuity	真空度	≥18Kpa	≥18Kpa	
Net Weight	净重	4.8Kg	5.2Kg	
Measurement	包装尺寸	315x315x360mm	335x335x440mm	
Loading Qty		20GP: 842pcs	20GP: 576pcs	
		40GP: 1628pcs	40GP: 1224pcs	
		40HQ: 1887pcs	40HQ: 1428pcs	

Optional color: ● ● ● ●



Optional:



ZN1801C



ZN1801C-1



Optional:



Item No.	ZN1801C							
Capacity	容量	15L	20L	25L	30L			
Rated Power	功率	1200/1400/1600W	1200/1400/1600W	1200/1400/1600W	1200/1400/1600W			
Rated Voltage	电压	100V-240V	100V-240V	100V-240V	100V-240V			
Normal Frequency	频率	50/60Hz	50/60Hz	50/60Hz	50/60Hz			
Vacuity	真空度	≥18Kpa	≥18Kpa	≥18Kpa	≥18Kpa			
Net Weight	净重	5.0Kg	6.0Kg	6.5Kg	7.0Kg			
Measurement	包装尺寸	345x345x360mm	345x345x440mm	345x345x510mm	345x345x590mm			
Loading Qty		20GP: 576pcs	20GP: 528pcs	20GP: 461pcs	20GP: 416pcs			
		40GP: 1224pcs	40GP: 1120pcs	40GP: 959pcs	40GP: 864pcs			
		40HQ: 1428pcs	40HQ: 1272pcs	40HQ: 1108pcs	40HQ: 978pcs			

Dry & Wet Vacuum Cleaner

Patented item, any copy will be punished.

| ZN1801C



Dry



Wet



Blow



Strong Suction Multi-Function



Optional
Reduce noise



Optional
Socket outlet



Optional
Drainage outlet

Item No.	ZN1801C			
Capacity	容量	50L	60L	70L
Rated Power	功率	1200/1400/1600W	1200/1400/1600W	1200/1400/1600W
Rated Voltage	电压	100V~240V	100V~240V	100V~240V
Normal Frequency	频率	50/60Hz	50/60Hz	50/60Hz
Vacuity	真空度	≥18Kpa	≥18Kpa	≥18Kpa
Net Weight	净重	11.5Kg	12.5Kg	13.3Kg
Measurement	包装尺寸	500x445x620mm	500x445x720mm	500x445x820mm
Loading Qty		20GP: 200pcs	20GP: 187pcs	20GP: 164pcs
		40GP: 445pcs	40GP: 360pcs	40GP: 324pcs
		40HQ: 496pcs	40HQ: 414pcs	40HQ: 374pcs



Optional:



Pro Vacuum Cleaner

Patented item, any copy will be punished.



Optional
Reduce noise



Optional
Socket outlet

| ZN1802C-1



Dry



Wet



Blow



Strong Suction Multi-Function



Optional color: ● ● ● ●

Optional:



Dry & Wet Vacuum Cleaner

Patented item, any copy will be punished.



| ZN1801S/ZN1801S-1
| ZN1802S/ZN1802S-1



Item No.	ZN1801S/ZN1802S	
Capacity	容量	15+20L
Rated Power	功率	1200/1400/1600W
Rated Voltage	电压	100V-240V
Normal Frequency	频率	50/60Hz
Vacuity	真空度	≥18Kpa
Net Weight	净重	7.5Kg
Measurement	包装尺寸	370x345x675mm
Loading Qty	20GP:	306pcs
	40GP:	630pcs
	40HQ:	735pcs



Optional:



NEW GS
EK 1 498-11



| ZN1805
| ZN1806



Item No.	ZN1805/ZN1806	
Capacity	容量	30L
Rated Power	功率	1200/1300W
Rated Voltage	电压	100V-240V
Normal Frequency	频率	50/60Hz
Vacuity	真空度	≥18Kpa
Net Weight	净重	7.0Kg
Measurement	包装尺寸	345x345x590mm
Loading Qty	20GP:	416pcs
	40GP:	864pcs
	40HQ:	978pcs



Optional color: ● ● ● ●

Optional:



Dry & Wet Vacuum Cleaner

Patented item, any copy will be punished.

ZN1802A
ZN1802A-1



Item No.		ZN1802A	
Capacity	容量	15L	20L
Rated Power	功率	1200/1400/1600W	1200/1400/1600W
Rated Voltage	电压	100V-240V	100V-240V
Normal Frequency	频率	50/60Hz	50/60Hz
Vacuity	真空度	≥18Kpa	≥18Kpa
Net Weight	净重	4.8Kg	5.2Kg
Measurement	包装尺寸	315x315x360mm	335x335x440mm
Loading Qty		20GP: 842pcs	20GP: 576pcs
		40GP: 1628pcs	40GP: 1224pcs
		40HQ: 1887pcs	40HQ: 1428pcs

Optional color: ● ● ● ●



ZN1802C



ZN1802C-1



Optional:



Item No.		ZN1802C			
Capacity	容量	15L	20L	25L	30L
Rated Power	功率	1200/1400/1600W	1200/1400/1600W	1200/1400/1600W	1200/1400/1600W
Rated Voltage	电压	100V-240V	100V-240V	100V-240V	100V-240V
Normal Frequency	频率	50/60Hz	50/60Hz	50/60Hz	50/60Hz
Vacuity	真空度	≥18Kpa	≥18Kpa	≥18Kpa	≥18Kpa
Net Weight	净重	5.0Kg	6.0Kg	6.5Kg	7.0Kg
Measurement	包装尺寸	345x345x360mm	345x345x440mm	345x345x510mm	345x345x590mm
Loading Qty		20GP: 576pcs	20GP: 528pcs	20GP: 461pcs	20GP: 416pcs
		40GP: 1224pcs	40GP: 1120pcs	40GP: 959pcs	40GP: 864pcs
		40HQ: 1428pcs	40HQ: 1272pcs	40HQ: 1108pcs	40HQ: 978pcs

Optional:



Back Pack Vacuum Cleaner

Patented item, any copy will be punished.

| ZN1301



Dry



Strong Suction



Multi-Function



Back Pack



Low Noise

Item No.	ZN1301	
Capacity	容量	12L
Rated Power	功率	1250W
Rated Voltage	电压	100V-240V
Normal Frequency	频率	50/60Hz
Vacuity	真空度	≥20Kpa
Net Weight	净重	5.5Kg
Measurement	包装尺寸	355x255x540mm
Loading Qty	20GP:	576pcs
	40GP:	1152pcs
	40HQ:	1380pcs

Optional color: ● ● ● ●



Optional

Wall Mouted Vacuum Cleaner



EMC

RoHS



Optional:



Back Pack Portable Vacuum Cleaner

Patented item, any copy will be punished.

| ZN1202



Dry



Wet



Blow



Strong Suction



Multi-Function



Side-Attached



Winding Function

Item No.	ZN1202	
Capacity	容量	12L
Rated Power	功率	1200W
Rated Voltage	电压	100V-240V
Normal Frequency	频率	50/60Hz
Vacuity	真空度	≥17Kpa
Net Weight	净重	3.6Kg
Measurement	包装尺寸	346x275x406mm
Loading Qty	20GP:	700pcs
	40GP:	1450pcs
	40HQ:	1800pcs



EMC

RoHS



Optional:



ZHENAN
Since 1985

BACK PACK SERIES

-  Dry
-  Blow
-  Wet
-  Strong Suction
-  Multi-Function
-  Winding Function



ZN1201A



ZN1201C



ZN1201C-1



Optional:



Item No.		ZN1201A				ZN1201			
Capacity	容量	20L				15L	20L	25L	30L
Rated Power	功率	1250/1400/1600W				1250/1400/1600W	1250/1400/1600W	1250/1400/1600W	1250/1400/1600W
Rated Voltage	电压	100V-240V				100V-240V	100V-240V	100V-240V	100V-240V
Normal Frequency	频率	50/60Hz				50/60Hz	50/60Hz	50/60Hz	50/60Hz
Vacuity	真空度	≥17Kpa				≥17Kpa	≥17Kpa	≥17Kpa	≥17Kpa
Net Weight	净重	5.2Kg				5.0Kg	5.5Kg	5.8Kg	6.1Kg
Loading Qty	包装尺寸	335x335x490mm				358x333x435mm	358x333x507mm	358x333x585mm	358x333x660mm
		20GP: 544pcs				20GP: 560pcs	20GP: 450pcs	20GP: 420pcs	20GP: 360pcs
		40GP: 1120pcs				40GP: 1155pcs	40GP: 924pcs	40GP: 800pcs	40GP: 729pcs
		40HQ: 1225pcs				40HQ: 1386pcs	40HQ: 1090pcs	40HQ: 950pcs	40HQ: 886pcs

Dry & Wet Vacuum Cleaner

Patented item, any copy will be punished.

ZN1201C
ZN1201C-1

-  Dry
-  Wet
-  Blow
-  Strong Suction
-  Multi-Function
-  Winding Function



Optional
Socket outlet



Floor brush storage



Accessories storage

Item No.		ZN1201C/ZN1201C-1		
Capacity	容量	50L	60L	70L
Rated Power	功率	1250/1400/1600W	1250/1400/1600W	1250/1400/1600W
Rated Voltage	电压	100V-240V	100V-240V	100V-240V
Normal Frequency	频率	50/60Hz	50/60Hz	50/60Hz
Vacuity	真空度	≥17Kpa	≥17Kpa	≥17Kpa
Net Weight	净重	11.5Kg	12.5Kg	13.3Kg
Measurement	包装尺寸	480x470x680mm	480x470x770mm	480x470x879mm
Loading Qty		20GP: 180pcs	20GP: 180pcs	20GP: 145pcs
		40GP: 410pcs	40GP: 360pcs	40GP: 315pcs
		40HQ: 420pcs	40HQ: 400pcs	40HQ: 350pcs

Optional color: 



Optional:





Dry & Wet Vacuum Cleaner

Invention Patent

Patented item, any copy will be punished.



Manual cable storage



Turn the knob to right for blowing function



Turn the knob to left for suction function

Optional color: ● ● ● ●

Item No.		ZN102/ZN102-1					
Capacity	容量	20L	25L	30L	50L	60L	70L
Rated Power	功率	1000/1250/1400/1600W	1000/1250/1400/1600W	1000/1250/1400/1600W	1000/1250/1400/1600W	1000/1250/1400/1600W	1000/1250/1400/1600W
Rated Voltage	电压	100V~240V	100V~240V	100V~240V	100V~240V	100V~240V	100V~240V
Normal Frequency	频率	50/60Hz	50/60Hz	50/60Hz	50/60Hz	50/60Hz	50/60Hz
Vacuity	真空度	≥17Kpa	≥17Kpa	≥17Kpa	≥17Kpa	≥17Kpa	≥17Kpa
Net Weight	净重	7.2Kg	7.8Kg	8.1Kg	11.8Kg	12.5Kg	13.5Kg
Measurement	包装尺寸	375x375x465mm	375x375x530mm	405x380x573mm	480x470x685mm	480x470x775mm	480x470x870mm
		20GP: 420pcs	20GP: 370pcs	20GP: 310pcs	20GP: 180pcs	20GP: 160pcs	20GP: 140pcs
		40GP: 870pcs	40GP: 770pcs	40GP: 650pcs	40GP: 330pcs	40GP: 290pcs	40GP: 250pcs
		40HQ: 1020pcs	40HQ: 900pcs	40HQ: 760pcs	40HQ: 430pcs	40HQ: 380pcs	40HQ: 340pcs



Nr:20 2009 005 268.0



Turn the knob to right for blowing function



Turn the knob to left for suction function



Accessories storage



Optional

Invention Patent



Nr:20 2009 005 268.0

ZHENAN
Since 1985



Optional:



Item No.		ZN902/ZN902-1			ZN902D/ZN902D-1	
Capacity	容量	20L	30L	40L	30L	40L
Rated Power	功率	1250/1400/1600W	1250/1400/1600W	1250/1400/1600W	1250/1400/1600W	1250/1400/1600W
Rated Voltage	电压	100V~240V	100V~240V	100V~240V	100V~240V	100V~240V
Normal Frequency	频率	50/60Hz	50/60Hz	50/60Hz	50/60Hz	50/60Hz
Vacuity	真空度	≥17Kpa	≥17Kpa	≥17Kpa	≥17Kpa	≥17Kpa
Net Weight	净重	7.2Kg	8.2Kg	8.8Kg	8.2Kg	8.8Kg
Measurement	包装尺寸	390x390x425mm	420x390x525mm	420x390x650mm	420x390x525mm	420x390x650mm
		20GP: 420pcs	20GP: 336pcs	20GP: 270pcs	20GP: 336pcs	20GP: 270pcs
		40GP: 890pcs	40GP: 732pcs	40GP: 570pcs	40GP: 732pcs	40GP: 570pcs
		40HQ: 1040pcs	40HQ: 810pcs	40HQ: 648pcs	40HQ: 810pcs	40HQ: 648pcs



Vacuum Cleaner

Patented item, any copy will be punished.

 **LOW NOISE**
STRONG SUCTION

| ZN901A
| ZN901C



Dry



Strong Suction



Multi-Function




Low Noise



Winding Function

Item No.		ZN901A	ZN901C		
Capacity	容量	15L	15L	20L	25L
Rated Power	功率	1200/1400W	1200/1400W	1200/1400W	1200/1400W
Rated Voltage	电压	100V-240V	100V-240V	100V-240V	100V-240V
Normal Frequency	频率	50/60Hz	50/60Hz	50/60Hz	50/60Hz
Vacuity	真空度	≥20Kpa	≥20Kpa	≥20Kpa	≥20Kpa
Net Weight	净重	5.5Kg	5.0Kg	5.7Kg	6.0Kg
Measurement	包装尺寸	365x330x400mm	330x330x400mm	330x330x490mm	330x330x580mm
Loading Qty		20GP: 570pcs	20GP: 630pcs	20GP: 510pcs	20GP: 476pcs
		40GP: 1180pcs	40GP: 1310pcs	40GP: 1070pcs	40GP: 1008pcs
		40HQ: 1380pcs	40HQ: 1540pcs	40HQ: 1288pcs	40HQ: 1100pcs

Optional:



 **ZHENAN**
Since 1985



Patent certificate
No 001142368-0001

ZN901 SERIES

Optional color:    

Dry & Wet Vacuum Cleaner

Patented item, any copy will be punished.



Clean the interior of car Accessories storage Blowing Socket outlet

| ZN103
| ZN103-1



Optional color: ● ● ● ●



Item No.		ZN103/ZN103-1			
Capacity	容量	15L	20L	25L	30L
Rated Power	功率	1000/1250W	1000/1250W	1000/1250W	1000/1250W
Rated Voltage	电压	100V-240V	100V-240V	100V-240V	100V-240V
Normal Frequency	频率	50/60Hz	50/60Hz	50/60Hz	50/60Hz
Vacuity	真空度	≥17Kpa	≥17Kpa	≥17Kpa	≥17Kpa
Net Weight	净重	5.0Kg	6.0Kg	6.5Kg	7.0Kg
Measurement	包装尺寸	333x333x395mm	333x333x470mm	333x333x550mm	333x333x625mm
Loading Qty		20GP: 680pcs	20GP: 595pcs	20GP: 476pcs	20GP: 408pcs
		40GP: 1440pcs	40GP: 1260pcs	40GP: 1008pcs	40GP: 864pcs
		40HQ: 1512pcs	40HQ: 1298pcs	40HQ: 1152pcs	40HQ: 1000pcs

Optional:



Clean the interior of car Accessories storage Blowing Socket outlet

| YS-1000A/YS-1000A1
| YS-1000C/YS-1000C1



Item No.		YS1000A		YS1000C			
Capacity	容量	15L		15L	20L	30L	
Rated Power	功率	1000/1200W		1000/1200W	1000/1200W	1000/1250W	
Rated Voltage	电压	100V-240V		100V-240V	100V-240V	100V-240V	
Normal Frequency	频率	50/60Hz		50/60Hz	50/60Hz	50/60Hz	
Vacuity	真空度	≥17Kpa		≥17Kpa	≥17Kpa	≥17Kpa	
Net Weight	净重	4.8Kg		5.0Kg	6.1Kg	7.5Kg	
Measurement	包装尺寸	315x315x415mm		315x315x415mm	315x315x515mm	315x315x657mm	
Loading Qty		20GP: 630pcs		20GP: 630pcs	20GP: 530pcs	20GP: 440pcs	
		40GP: 1380pcs		40GP: 1380pcs	40GP: 1110pcs	40GP: 888pcs	
		40HQ: 1610pcs		40HQ: 1610pcs	40HQ: 1300pcs	40HQ: 1036pcs	

Optional:



Dry & Wet Vacuum Cleaner

Patented item, any copy will be punished.

| YS-1250B/YS-1250B1
| YS-1250C/YS-1250C1



Item No.	YS-1250C/YS-1250B			
Capacity	容量	20L	30L	
Rated Power	功率	1250/1400/1600W	1250/1400/1600W	
Rated Voltage	电压	100V-240V	100V-240V	
Normal Frequency	频率	50/60Hz	50/60Hz	
Vacuity	真空度	≥17Kpa	≥17Kpa	
Net Weight	净重	6.7/6.8Kg	7.0/7.1Kg	
Measurement	包装尺寸	355x355x510mm	335x335x600mm	
Loading Qty		20GP: 420pcs	20GP: 360pcs	
		40GP: 890pcs	40GP: 760pcs	
		40HQ: 1040pcs	40HQ: 890pcs	

Optional color: ● ● ● ●



Accessories storage



Optional
Socket outlet



Optional:



Brake knob



Accessories storage



Optional
Socket outlet

| YS-1400D
| YS-1400D1



Item No.	YS-1400D/YS-1400D1			
Capacity	容量	50L	60L	
Rated Power	功率	1400/1600W	1400/1600W	
Rated Voltage	电压	100V-240V	100V-240V	
Normal Frequency	频率	50/60Hz	50/60Hz	
Vacuity	真空度	≥17Kpa	≥17Kpa	
Net Weight	净重	11.8Kg	12.5Kg	
Measurement	包装尺寸	475x465x655mm	475x465x780mm	
Loading Qty		20GP: 200pcs	20GP: 171pcs	
		40GP: 410pcs	40GP: 366pcs	
		40HQ: 480pcs	40HQ: 408pcs	



Optional:



Dry & Wet Vacuum Cleaner

Patented item, any copy will be punished.

| ZN101A/ZN101A-1
| ZN101C/ZN101C-1



Strong Suction Multi-Function Winding Function



Item No.		ZN101A		ZN101C	
Capacity	容量	15L		15L	25L
Rated Power	功率	1000/1200W		1000/1200W	1000/1200W
Rated Voltage	电压	100V-240V		100V-240V	100V-240V
Normal Frequency	频率	50/60Hz		50/60Hz	50/60Hz
Vacuity	真空度	≥17Kpa		≥17Kpa	≥17Kpa
Net Weight	净重	5.7Kg		5.2Kg	5.9Kg
Measurement	包装尺寸	365x330x400mm		330x330x490mm	330x330x580mm
Containers		20GP: 570pcs		20GP: 630pcs	20GP: 510pcs
		40GP: 1180pcs		40GP: 1310pcs	40GP: 1070pcs
		40HQ: 1380pcs		40HQ: 1540pcs	40HQ: 1250pcs



Optional:



Accessories storage

Socket outlet

| ZN601/ZN601-1
| ZN603/ZN603-1



Strong Suction Multi-Function Winding Function



Item No.		ZN601/ZN603	
Capacity	容量	20L	20L
Rated Power	功率	1250/1400/1600W	1250/1400/1600W
Rated Voltage	电压	100V-240V	100V-240V
Normal Frequency	频率	50/60Hz	50/60Hz
Vacuity	真空度	≥17Kpa	≥17Kpa
Net Weight	净重	6.2Kg	6.3Kg
Measurement	包装尺寸	355x355x495mm	395x395x495mm
Loading Qty		20GP: 475pcs	20GP: 350pcs
		40GP: 957pcs	40GP: 740pcs
		40HQ: 1056pcs	40HQ: 870pcs

Optional color: ● ● ● ●



Optional:



ZHENAN
Since 1985

ZN601/ZN603 SERIES

Carpet Cleaner

Patented item, any copy will be punished.



| ZN610



Clean the carpet



Inject foamers



Insert pipe and wire



Accessories storage



Item No.	ZN610	
Capacity	容量	20L
Rated Power	功率	1400W
Rated Voltage	电压	100V-240V
Normal Frequency	频率	50/60Hz
Vacuity	真空度	≥18Kpa
Net Weight	净重	8.2Kg
Measurement	包装尺寸	450x375x520mm
Loading Qty	20GP:	290pcs
	40GP:	640pcs
	40HQ:	779pcs

Optional color: ● ● ● ●

| ZN1101



Inject detergent



Inject foamers



Insert pipe and wire



Manual cable storage



Item No.	ZN1101	
Capacity	容量	20L
Rated Power	功率	1000/1400W
Rated Voltage	电压	100V-240V
Normal Frequency	频率	50/60Hz
Vacuity	真空度	≥18Kpa
Net Weight	净重	8.0Kg
Measurement	包装尺寸	560x410x440mm
Loading Qty	20GP:	280pcs
	40GP:	560pcs
	40HQ:	792pcs



Optional:



Dry & Wet Vacuum Cleaner

Patented item, any copy will be punished.



Accessories storage



Insert the hose



Optional
Socket outlet

| ZN605



Dry



Wet



Blow



Strong Suction



Multi-Function



Item No.		ZN605		
Capacity	容量	70L	80L	90L
Rated Power	功率	1400Wx2	1400Wx2	1400Wx2
Rated Voltage	电压	100V-240V	100V-240V	100V-240V
Normal Frequency	频率	50/60Hz	50/60Hz	50/60Hz
Vacuity	真空度	≥18Kpa	≥18Kpa	≥18Kpa
Net Weight	净重	17.0Kg	21.0Kg	25.0Kg
Measurement	包装尺寸	630x550x746mm	630x550x810mm	630x550x880mm
Loading Qty		20GP: 108pcs	20GP: 95pcs	20GP: 90pcs
		40GP: 220pcs	40GP: 200pcs	40GP: 180pcs
		40HQ: 260pcs	40HQ: 240pcs	40HQ: 220pcs

Optional color: ● ● ● ●



Optional:



ZN605 SERIES



Pond Cleaner

Patented item, any copy will be punished.



Suction and accessories



Water outlet

| ZN620
| ZN620ZD



Dry



Wet



Blow



Strong Suction



Multi-Function



Auto

Item No.		ZN620
Capacity	容量	30L
Rated Power	功率	14 00W
Rated Voltage	电压	100V-240V
Normal Frequency	频率	50/60Hz
Vacuity	真空度	≥18Kpa
Net Weight	净重	9.0Kg
Measurement	包装尺寸	370x370x620mm
Loading Qty	20GP:	320pcs
	40GP:	680pcs
	40HQ:	744pcs



Optional color: ● ● ● ●



EMC

RoHS

CE

ETL

UL

BSCI

Optional:





Operational Diagram

Vacuum Cleaner



Ash Cleaner



Patented item, any copy will be punished.



I ZN832

Item No.		ZN832
Capacity	容量	28L
Rated Power	功率	1250/1400/1600W
Rated Voltage	电压	100V-240V
Normal Frequency	频率	50/60Hz
Vacuity	真空度	≥17Kpa
Net Weight	净重	8.5Kg
Measurement	包装尺寸	355x355x600mm
Loading Qty	20GP:	360pcs
	40GP:	760pcs
	40HQ:	890pcs



I ZN931

Item No.		ZN931
Capacity	容量	28L
Rated Power	功率	1200/1400W
Rated Voltage	电压	100V-240V
Normal Frequency	频率	50/60Hz
Vacuity	真空度	≥20Kpa
Net Weight	净重	8.5Kg
Measurement	包装尺寸	330x330x465mm
Loading Qty	20GP:	540pcs
	40GP:	1130pcs
	40HQ:	1300pcs



Optional:



Ash Cleaner

Patented item, any copy will be punished.

I ZN1402
I ZN1402D



Item No.		ZN1402	
Capacity	容量	10L	15L
Rated Power	功率	800/1000W	800/1000W
Rated Voltage	电压	100V-240V	100V-240V
Normal Frequency	频率	50/60Hz	50/60Hz
Vacuity	真空度	≥18Kpa	≥18Kpa
Net Weight	净重	3.5Kg	3.8Kg
Measurement	包装尺寸	270x270x320mm	270x270x420mm
Loading Qty	20GP:	1239pcs	900pcs
	40GP:	2410pcs	1870pcs
	40HQ:	2976pcs	2180pcs

Optional color: ● ● ● ●



Connect way of filter and top cover



Suck ash of fireplace



Suck garbage

ZHENAN
Since 1985

ZN1402 SERIES

Power Ash Cleaner

Patented item,any copy will be punished.



Connect way of filter and top cover



Suck ash of fireplace



Suck garbage

| ZN1601
| ZN1601D



Dry



Blow



Strong Suction



Flame Retardancy



| ZN1602
| ZN1602D



Dry



Blow



Strong Suction



Flame Retardancy



NEW GS

EK 1 498-11

Optional color: ● ● ● ●



Item No.		ZN1601			ZN1601D		
Capacity	容量	15L	18L	20L	15L	18L	20L
Rated Power	功率	800/1000/1200W	800/1000/1200W	800/1000/1200W	800/1000/1200W	1200/1400/1600W	1200/1400/1600W
Rated Voltage	电压	100V~240V	100V~240V	100V~240V	100V~240V	100V~240V	100V~240V
Normal Frequency	频率	50/60Hz	50/60Hz	50/60Hz	50/60Hz	50/60Hz	50/60Hz
Vacuity	真空度	≥18Kpa	≥18Kpa	≥18Kpa	≥18Kpa	≥18Kpa	≥18Kpa
Net Weight	净重	3.4Kg	3.5Kg	3.6Kg	4.0Kg	4.1Kg	4.2Kg
Measurement	包装尺寸	310x310x310mm	310x310x350mm	310x310x380mm	330x330x320mm	330x330x360mm	330x330x390mm
Loading Qty		20GP: 882pcs	20GP: 870pcs	20GP: 817pcs	20GP: 882pcs	20GP: 749pcs	20GP: 693pcs
		40GP: 1862pcs	40GP: 1814pcs	40GP: 1697pcs	40GP: 1813pcs	40GP: 1638pcs	40GP: 1477pcs
		40HQ: 2128pcs	40HQ: 2078pcs	40HQ: 1928pcs	40HQ: 2072pcs	40HQ: 1848pcs	40HQ: 1670pcs

NEW GS

EK 1 498-11



Connect way of filter and top cover



Suck ash of fireplace



Suck garbage

Item No.		ZN1602			ZN1602D		
Capacity	容量	27L	30L	32L	27L	30L	32L
Rated Power	功率	800/1000/1200W	800/1000/1200W	800/1000/1200W	800/1000/1200W	800/1000/1200W	800/1000/1200W
Rated Voltage	电压	100V~240V	100V~240V	100V~240V	100V~240V	100V~240V	100V~240V
Normal Frequency	频率	50/60Hz	50/60Hz	50/60Hz	50/60Hz	50/60Hz	50/60Hz
Vacuity	真空度	≥18Kpa	≥18Kpa	≥18Kpa	≥18Kpa	≥18Kpa	≥18Kpa
Net Weight	净重	4.7Kg	4.8Kg	4.9Kg	5.0Kg	5.1Kg	5.2Kg
Measurement	包装尺寸	310x310x500mm	310x310x540mm	310x310x570mm	330x330x510mm	330x330x550mm	330x330x580mm
Loading Qty		20GP: 570pcs	20GP: 530pcs	20GP: 510pcs	20GP: 546pcs	20GP: 490pcs	20GP: 441pcs
		40GP: 1180pcs	40GP: 1110pcs	40GP: 1070pcs	40GP: 1134pcs	40GP: 1029pcs	40GP: 980pcs
		40HQ: 1380pcs	40HQ: 1300pcs	40HQ: 1250pcs	40HQ: 1264pcs	40HQ: 1152pcs	40HQ: 1088pcs

ZN1601/ZN1602 SERIES

Power Ash Cleaner

Patented item, any copy will be punished.



Connect way of filter and top cover



Suck ash of fireplace



Suck garbage

| ZN930
| ZN932



Dry



Blow



Strong Suction



ZN930



ZN932



Optional color: ● ● ● ●

Item No.	ZN930		ZN932	
Capacity	容量	18L 20L	18L 20L	18L 20L
Rated Power	功率	1000/1200W 1000/1200W	1000/1200W 1000/1200W	1000/1200W 1000/1200W
Rated Voltage	电压	100V-240V 100V-240V	100V-240V 100V-240V	100V-240V 100V-240V
Normal Frequency	频率	50/60Hz 50/60Hz	50/60Hz 50/60Hz	50/60Hz 50/60Hz
Vacuity	真空度	≥17Kpa ≥17Kpa	≥17Kpa ≥17Kpa	≥17Kpa ≥17Kpa
Net Weight	净重	4.1Kg 4.5Kg	4.5Kg 4.9Kg	4.5Kg 4.9Kg
Measurement	包装尺寸	310x310x385mm 310x310x410mm	330x330x395mm 330x330x420mm	330x330x395mm 330x330x420mm
Loading Qty		20GP: 750pcs 20GP: 700pcs	20GP: 630pcs 20GP: 600pcs	20GP: 630pcs 20GP: 600pcs
		40GP: 1596pcs 40GP: 1450pcs	40GP: 1300pcs 40GP: 1260pcs	40GP: 1300pcs 40GP: 1260pcs
		40HQ: 1864pcs 40HQ: 1700pcs	40HQ: 1500pcs 40HQ: 1450pcs	40HQ: 1500pcs 40HQ: 1450pcs



Connect way of filter and top cover



Suck ash of fireplace



Suck garbage

| ZN833
| ZN834



Dry



Blow



Strong Suction



Longer Life



ZN833



ZN834



Item No.	ZN833		ZN834	
Capacity	容量	18L 20L	18L 20L	18L 20L
Rated Power	功率	1000/1200W 1000/1200W	1000/1200W 1000/1200W	1000/1200W 1000/1200W
Rated Voltage	电压	100V-240V 100V-240V	100V-240V 100V-240V	100V-240V 100V-240V
Normal Frequency	频率	50/60Hz 50/60Hz	50/60Hz 50/60Hz	50/60Hz 50/60Hz
Vacuity	真空度	≥17Kpa ≥17Kpa	≥17Kpa ≥17Kpa	≥17Kpa ≥17Kpa
Net Weight	净重	4.1Kg 4.5Kg	4.5Kg 4.9Kg	4.5Kg 4.9Kg
Measurement	包装尺寸	310x310x385mm 310x310x410mm	330x330x395mm 330x330x420mm	330x330x395mm 330x330x420mm
Loading Qty		20GP: 750pcs 20GP: 700pcs	20GP: 630pcs 20GP: 600pcs	20GP: 630pcs 20GP: 600pcs
		40GP: 1596pcs 40GP: 1450pcs	40GP: 1300pcs 40GP: 1260pcs	40GP: 1300pcs 40GP: 1260pcs
		40HQ: 1864pcs 40HQ: 1700pcs	40HQ: 1500pcs 40HQ: 1450pcs	40HQ: 1500pcs 40HQ: 1450pcs

Ash Cleaner

Patented item, any copy will be punished.



Connect way of filter and top cover



Suck ash of fireplace

ZN830




ZN831



Optional color: ● ● ● ●

Item No.	ZN830/ZN831		
Capacity	容量	18L	20L
Net Weight	净重	2.6Kg	3Kg
Measurement	包装尺寸	310x310x350mm	310x310x380mm
Loading Qty		20GP: 820pcs	20GP: 756pcs
		40GP: 1700pcs	40GP: 1596pcs
		40HQ: 2000pcs	40HQ: 1800pcs



Continues to update...

ACCESSORIES

Dry & Wet Vacuum Cleaner

Patented item, any copy will be punished.

ZN1801C



Dry



Wet



Blow



Strong Suction Multi-Function



Optional
Reduce noise



Optional
Socket outlet



Optional
Drainage outlet

Pro Vacuum Cleaner

Patented item, any copy will be punished.



Optional
Reduce noise



Optional
Socket outlet

ZN1801C-1



Dry



Wet



Blow



Strong Suction Multi-Function

Optional color: ● ● ● ●



ZHENAN
Since 1985



Optional:



Optional:



ZN1801 SERIES

Dry & Wet Vacuum Cleaner

Patented item, any copy will be punished.

I ZN1802C



Item No.	ZN1801C			
Capacity	容量	50L	60L	70L
Rated Power	功率	1200/1400/1600W	1200/1400/1600W	1200/1400/1600W
Rated Voltage	电压	100V-240V	100V-240V	100V-240V
Normal Frequency	频率	50/60Hz	50/60Hz	50/60Hz
Vacuity	真空度	≥18Kpa	≥18Kpa	≥18Kpa
Net Weight	净重	11.5Kg	12.5Kg	13.3Kg
Measurement	包装尺寸	280x280x380mm	500x445x720mm	500x445x820mm
Loading Qty		20GP: 200pcs	20GP: 187pcs	20GP: 164pcs
		40GP: 445pcs	40GP: 360pcs	40GP: 324pcs
		40HQ: 496pcs	40HQ: 414pcs	40HQ: 374pcs

Optional:



Pro Vacuum Cleaner

Patented item, any copy will be punished.



I ZN1802C-1



Optional color: ● ● ● ●

Optional:



ZHINAN
Since 1985

ZN1802 SERIES